



**Product information 17/2017** 

### BMW M2

**BMW M2 F87 Coupe, from 2016** 3.0I 272 kW

+ 8,7 HP + 11,8 Nm

### **REMUS Cat-back-system**

- REMUS Sound Control
- 100% stainless steel
- Powerful sound
- Performance and torque increase
- EC homologation







### Car and engine specification

BMW M2 F87 Coupe, 2016=>

3.0I 272 kW

### INFOBOX:

- Cat-back-system L/R: 088016 1500 + tail pipe set + optional STE 0012BT! No vehicle modifications required!
- The use of racing products and products which do not have EC approval is generally not permitted on public roads.

Part no.	Description	€ RRP price excl. VAT
088016 1500	Stainless steel cat-back-system L/R (without tail pipes) with integrated valves, incl. EC homologation Original tube Ø 80 mm, REMUS tube 2 x Ø 65 mm The system includes an additional original BMW actuator and a Y-cable for connecting both actuators with the onboard electronics of the vehicle.	1.990,
Optional: REMUS Sound Controller		
STE 0012BT	The REMUS Sound Controller consisting of the electronic module, the remote control button, blind plug for original wiring harness as well as the cables. Without EC homologation.	450,
Choose from	following tail pipe package:	
0046 70SG	Stainless steel tail pipe set 4 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	296,
0046 70S	Stainless steel tail pipe set 4 tail pipes Ø 102 mm angled, rolled edge, chromed, with adjustable spherical clamp connection	340,
0046 70CS	Carbon tail pipe set 4 tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	840,
0046 98C	Stainless steel tail pipe set 4 tail pipes Ø 98 mm Street Race, straight, carbon insert, with adjustable spherical clamp connection	444,
0046 98CB	Stainless steel tail pipe set 4 tail pipes Ø 98 mm Street Race Black Chrome, straight, carbon insert, with adjustable spherical clamp connection	492,



#70S: tail pipes Ø 102 mm angled, chromed



#70CS: Carbon tail pipes Ø 102 mm angled, Titanium internals




#70SG: tail pipes Ø 102 mm angled, straight cut, chromed







# REMUS





Acutal items may differ from photo!





## **REMUS Powerizer**

### More power, more torque means more fun!

The perfectly matched electronics and advanced technology of the REMUS Powerizer enhances Engine ECU mapping is optimized in excess of 1000 times per second and ensures for a considerable and noticeable power increase. The engine safety parameters (Check engine light) and engine management remains totally untouched to ensure that individual engine components are not overstrained.

Because of the plug & play concept, the REMUS Powerizer is installed in the engine compartment and connected to sensors such as intake manifold pressure sensor, boost pressure sensor, camshaft position sensor or fuel injection sensor. In real time, the incoming signals are processed, optimized and transmitted to the additional control unit. The Powerizer can be easily removed or decommissioned at any time using the supplied blind connector.

Due to the torque increase, the engine has more power at lower RPM which can lead to a reduction in fuel consumption. The power increase of the engine can easily be fine-tuned by means of seven preset levels via the keypad. The REMUS Powerizer is available for over 3300 petrol and diesel powered cars.

Furthermore, the latest Powerizer is also available for all vehicle engines with SENT technology. This newly developed multi-protocol technology combines analog and digital motor control the same time captures important analog signals of the engine management system which leads to increased engine performance. The capability to tune vehicles with SENT technology is an absolute highlight of the latest Powerizer.



- Up to 30% more power
- Up to 20% more torque
- Easy installation and removal (plug & play)
- Up to 1l/100 km fuel saving
- No vehicle modifications required
- 7 preset power levels





## **REMUS Responder**

#### Improved throttle response for more driving dynamic!



The REMUS Responder improves throttle response and is the best power boost for many electronically managed gas pedals. Results of up to 10% better acceleration are not uncommon and no annoying throttle delay and lag during take-off or in between manual / automatic shifts makes driving with the REMUS Responder much more dynamic.

The REMUS Responder attaches between the OEM gas pedal sensor and the OEM wiring loom and is ready to use in minutes due to plug & play technology.

The fully adjustable Responder settings can be adjusted in 20 different stages. The individual user-selectable and adjustable performance settings allow drivers to select according to their own preferences & road conditions.



- Improves throttle response and lag during takeoff and gear changes
- Quicker reaction times, more driving dynamic
- 20 individual user selectable performance settings
- Vehicle specific programming using OEM quality connectors
- Simple plug & play installation and removal without leaving traces

