



Product information 20/2017

FORD Fiesta ST

FORD Fiesta ST, VII, type JA8, from 2013 1.6l 134 kW (JTJA) FORD Fiesta ST 200, VII, type JA8, from 2016 1.6l 147 kW (C1BG)

+ 5,9 HP + 9,3 Nm -2,9 kg

REMUS Cat-back-system

- 100% stainless steel
- Powerful sound
- Performance and torque increase
- EC homologation





REMUS

Car and engine specification

FORD Fiesta ST, VII, type JA8, 2013=>

1.6I 134 kW (JTJA)

FORD Fiesta ST 200, VII, type JA8, 2016=>

1.6l 147 kW (C1BG)

INFOBOX:

- Axle-back-system: 204017 0500 + tail pipe set! The original exhaust must be cut! No rear skirt modifications required!
- Cat-back-system: 204014 0300 (only 1.6l 134 kW) or 204017 0300 + 204017 0500 + tail pipe set! No vehicle modifications required!
- Part no. 204017 0500 replaces part no. 204014 0500!

Part no.	Description	€ RRP price excl. VAT
204014 0300	Stainless steel resonated cat-back front section, only for Fiesta ST 1.6l 134 kW Original tube Ø 55 mm - REMUS tube Ø 65 mm	249,
204017 0300	Stainless steel resonated cat-back front section, only for Fiesta ST 200 1.6l 147 kW Original tube Ø 55 mm - REMUS tube Ø 65 mm	249,
204017 0500	Stainless steel sport exhaust (without tail pipes) Original tube Ø 55 mm - REMUS tube Ø 65 mm	335,
Choose from following tail pipe package:		
0026 05	Stainless steel tail pipe set 2 tail pipes Ø 90 mm straight, rolled edge, chromed, with adjustable spherical clamp connection	160,
0026 55S	Stainless steel tail pipe set 2 tail pipes Ø 84 mm angled, rolled edge, chromed, with adjustable spherical clamp connection	160,
0026 83C	Stainless steel tail pipe set 2 tail pipes Ø 84 mm Street Race, straight, carbon insert, with adjustable spherical clamp connection	196,
0026 83CS	Stainless steel tail pipe set 2 tail pipes Ø 84 mm Carbon Race, angled, carbon ring, with adjustable spherical clamp connection	202,
0026 83CB	Stainless steel tail pipe set 2 tail pipes Ø 84 mm Street Race Black Chrome, straight, carbon insert, with adjustable spherical clamp connection	220,
0026 83CTS	Carbon tail pipe set 2 tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	390,



#55S: tail pipes Ø 84 mm angled, chromed



#83C: tail pipes Ø 84 mm Street Race, polished



#83CS: tail pipe Ø 84 mm Carbon Race, angled, polished



#83CB: tail pipes Ø 84 mm Street Race Black Chrome



#83CTS: Carbon-tail pipes Ø 84 mm angled, Titanium internals



#05: tail pipes Ø 90 mm chromed



REMUS SPORTEXHAUST









REMUS Powerizer

More power, more torque means more fun!

The perfectly matched electronics and advanced technology of the REMUS Powerizer enhances Engine ECU mapping is optimized in excess of 1000 times per second and ensures for a considerable and noticeable power increase. The engine safety parameters (Check engine light) and engine management remains totally untouched to ensure that individual engine components are not overstrained.

Because of the plug & play concept, the REMUS Powerizer is installed in the engine compartment and connected to sensors such as intake manifold pressure sensor, boost pressure sensor, camshaft position sensor or fuel injection sensor. In real time, the incoming signals are processed, optimized and transmitted to the additional control unit. The Powerizer can be easily removed or decommissioned at any time using the supplied blind connector.

Due to the torque increase, the engine has more power at lower RPM which can lead to a reduction in fuel consumption. The power increase of the engine can easily be fine-tuned by means of seven preset levels via the keypad. The REMUS Powerizer is available for over 3300 petrol and diesel powered cars.

Furthermore, the latest Powerizer is also available for all vehicle engines with SENT technology. This newly developed multi-protocol technology combines analog and digital motor control the same time captures important analog signals of the engine management system which leads to increased engine performance. The capability to tune vehicles with SENT technology is an absolute highlight of the latest Powerizer.



- Up to 30% more power
- Up to 20% more torque
- Easy installation and removal (plug & play)
- Up to 1l/100 km fuel saving
- No vehicle modifications required
- 7 preset power levels





REMUS Responder

Improved throttle response for more driving dynamic!



The REMUS Responder improves throttle response and is the best power boost for many electronically managed gas pedals. Results of up to 10% better acceleration are not uncommon and no annoying throttle delay and lag during take-off or in between manual / automatic shifts makes driving with the REMUS Responder much more dynamic.

The REMUS Responder attaches between the OEM gas pedal sensor and the OEM wiring loom and is ready to use in minutes due to plug & play technology.

The fully adjustable Responder settings can be adjusted in 20 different stages. The individual user-selectable and adjustable performance settings allow drivers to select according to their own preferences & road conditions.



- Improves throttle response and lag during takeoff and gear changes
- Quicker reaction times, more driving dynamic
- 20 individual user selectable performance settings
- Vehicle specific programming using OEM quality connectors
- Simple plug & play installation and removal without leaving traces

